



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Cannatail 25mg THC Drink

Sample ID: 2512NBL1561.4469

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 01/05/2026

Completed: 01/14/2026

Expires: 01/14/2027

External Lot ID: 12/26/25

Batch#: 756702

Client

TexaKana Organics

Lic. #

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 482-1924 rado@texasgreencraft.com



Summary		
Test	Date Tested	Result
Cannabinoids	01/07/2026	Complete
Residual Solvents	01/14/2026	Complete
Microbials	01/08/2026	Complete
Mycotoxins	01/10/2026	Complete
Pesticides	01/10/2026	Complete
Heavy Metals	01/14/2026	Complete
Foreign Matter	01/05/2026	Not Detected

Cannabinoids Complete

23.879 mg/unit

Total THC

0.0064%

Δ9-THC

ND

Total CBD

23.879 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9301	1.395	ND	ND	ND
9R-HHC	0.9301	1.395	ND	ND	ND
(6aR,9S)-d10-THC	0.9301	1.395	ND	ND	ND
9S-HHC	0.9301	1.395	ND	ND	ND
CBC	0.9301	1.395	ND	ND	ND
CBCa	0.9301	1.395	ND	ND	ND
CBD	0.9301	1.395	ND	ND	ND
CBDa	0.9301	1.395	ND	ND	ND
CBDV	0.9301	1.395	ND	ND	ND
CBDVa	0.9301	1.395	ND	ND	ND
CBG	0.9301	1.395	ND	ND	ND
CBGa	0.9301	1.395	ND	ND	ND
CBN	0.9301	1.395	ND	ND	ND
CBNa	0.9301	1.395	ND	ND	ND
Δ8-THC	0.9301	1.395	ND	ND	ND
Δ9-THC	0.9301	1.395	23.879	0.06745	0.006
THCa	0.9301	1.395	ND	ND	ND
THCp	0.9301	1.395	ND	ND	ND
THCV	0.9301	1.395	ND	ND	ND
THCVa	0.9301	1.395	ND	ND	ND
Total THC			23.879	0.06745	0.006
Total CBD			ND	ND	ND
Total			23.879	0.06745	0.006

Date Tested: 01/07/2026
Density: 1 mL = 1.051 g, Unit Mass: 372.054 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.

Amended COA released to reflect name and batch code additions 030426 AB



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

2 of 4

Cannatail 25mg THC Drink

Sample ID: 2512NBL1561.4469

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 01/05/2026

Completed: 01/14/2026

Expires: 01/14/2027

External Lot ID: 12/26/25

Batch#: 756702

Client

TexaKana Organics

Lic. #

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 482-1924 rado@texasgreencraft.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.097	0.028		ND	Tested	Fludioxonil	0.093	0.028		ND	Tested
Acephate	0.093	0.028		ND	Tested	Hexythiazox	0.093	0.028		ND	Tested
Acequinocyl	0.093	0.028		ND	Tested	Imazalil	0.093	0.028		ND	Tested
Acetamiprid	0.093	0.028		ND	Tested	Imidacloprid	0.093	0.028		ND	Tested
Aldicarb	0.093	0.028		ND	Tested	Kresoxim Methyl	0.093	0.028		ND	Tested
Azoxystrobin	0.093	0.028		ND	Tested	Malathion	0.093	0.028		ND	Tested
Bifenazate	0.093	0.028		ND	Tested	Metalaxyl	0.093	0.028		ND	Tested
Bifenthrin	0.093	0.028		ND	Tested	Methiocarb	0.093	0.028		ND	Tested
Boscalid	0.093	0.028		ND	Tested	Methomyl	0.093	0.028		ND	Tested
Captan	0.652	0.196		ND	Tested	Mevinphos	0.093	0.028		ND	Tested
Carbaryl	0.093	0.028		ND	Tested	Myclobutanil	0.093	0.028		ND	Tested
Carbofuran	0.093	0.028		ND	Tested	Naled	0.233	0.071		ND	Tested
Chlorantraniliprole	0.093	0.028		ND	Tested	Oxamyl	0.093	0.028		ND	Tested
Chlorfenapyr	0.074	0.028		ND	Tested	Paclobutrazol	0.093	0.028		ND	Tested
Chlormequat	0.093	0.028		ND	Tested	Methyl Parathion	0.074	0.028		ND	Tested
Chlorpyrifos	0.093	0.028		ND	Tested	Pentachloronitrobenzene	0.074	0.028		ND	Tested
Clofentezine	0.093	0.028		ND	Tested	Permethrins	0.093	0.028		ND	Tested
Coumaphos	0.093	0.028		ND	Tested	Phosmet	0.093	0.028		ND	Tested
Cyfluthrin	0.466	0.140		ND	Tested	Piperonyl Butoxide	0.093	0.028		ND	Tested
Cypermethrin	0.466	0.140		ND	Tested	Prallethrin	0.093	0.028		ND	Tested
Daminozide	0.931	0.279		ND	Tested	Propiconazole	0.093	0.028		ND	Tested
Diazinon	0.093	0.028		ND	Tested	Propoxur	0.093	0.028		ND	Tested
Dichlorvos	0.047	0.015		ND	Tested	Pyrethrins	0.466	0.140		ND	Tested
Dimethoate	0.093	0.028		ND	Tested	Pyridaben	0.093	0.028		ND	Tested
Dimethomorph	0.089	0.028		ND	Tested	Spinetoram	0.093	0.028		ND	Tested
Ethoprophos	0.093	0.028		ND	Tested	Spinosad	0.095	0.028		ND	Tested
Etofenprox	0.093	0.028		ND	Tested	Spiromesifen	0.093	0.028		ND	Tested
Etiozazole	0.093	0.028		ND	Tested	Spirotetramat	0.093	0.028		ND	Tested
Fenhexamid	0.093	0.028		ND	Tested	Spiroxamine	0.093	0.028		ND	Tested
Fenoxycarb	0.093	0.028		ND	Tested	Tebuconazole	0.093	0.028		ND	Tested
Fenpyroximate	0.093	0.028		ND	Tested	Thiacloprid	0.093	0.028		ND	Tested
Fipronil	0.093	0.028		ND	Tested	Thiamethoxam	0.093	0.028		ND	Tested
Flonicamid	0.093	0.028		ND	Tested	Trifloxystrobin	0.093	0.028		ND	Tested

Date Tested: 01/10/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

3 of 4

Cannatail 25mg THC Drink

Sample ID: 2512NBL1561.4469

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 01/05/2026

Completed: 01/14/2026

Expires: 01/14/2027

External Lot ID: 12/26/25

Batch#: 756702

Client

TexaKana Organics

Lic. #

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 482-1924 rado@texasgreencraft.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	31.620	ND	Tested
Salmonella	31.730	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	29.780	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested
E. Coli	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 01/08/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	1	5		ND	Tested
B2	1	5		ND	Tested
G1	1	5		ND	Tested
G2	1	5		ND	Tested
Total Aflatoxins	1	5		ND	Tested
Ochratoxin A	6	19		ND	Tested

Date Tested: 01/10/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.048	0.097		ND	Tested
Cadmium	0.048	0.097		ND	Tested
Lead	0.048	0.097		ND	Tested
Mercury	0.048	0.097		ND	Tested
Palladium	0.048	0.242		ND	Tested
Selenium	0.048	0.097		ND	Tested

Date Tested: 01/14/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

4 of 4

Cannatail 25mg THC Drink

Sample ID: 2512NBL1561.4469

Matrix: Ingestible

Type: Beverage

Sample Size:

Date Collected:

Received: 01/05/2026

Completed: 01/14/2026

Expires: 01/14/2027

External Lot ID: 12/26/25

Batch#: 756702

Client

TexaKana Organics

Lic. #

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 482-1924 rado@texasgreencraft.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	78.125	260.417		ND	Tested
Benzene	0.313	1.042		ND	Tested
n-Butane	71.875	239.583		ND	Tested
Isobutane	71.875	239.583		ND	Tested
Ethanol	78.125	260.417		381.818	Tested
Ethyl Acetate	78.125	260.417		ND	Tested
Heptane	78.125	260.417		ND	Tested
n-Hexane	1.563	5.208		ND	Tested
2,2-Dimethylbutane	1.563	5.208		ND	Tested
3-Methylpentane	1.563	5.208		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.125	10.417		ND	Tested
Methanol	31.250	104.167		ND	Tested
Isopentane	71.875	239.583		ND	Tested
n-Pentane	31.250	104.167		ND	Tested
Neopentane	71.875	239.583		ND	Tested
2-Propanol	78.125	260.417		ND	Tested
Propane	312.500	1041.667		ND	Tested
Toluene	0.156	0.521		ND	Tested
Ethylbenzene	0.156	0.521		ND	Tested
m/p-Xylene	0.156	0.521		ND	Tested
o-Xylene	0.156	0.521		ND	Tested
1,1-Dichloroethene	0.625	2.083		ND	Tested
1,2-Dichloroethane	0.625	2.083		ND	Tested
Ethylene Oxide	1.563	5.208		ND	Tested
Acetonitrile	6.250	20.833		ND	Tested
Chloroform	0.625	2.083		ND	Tested
Ethyl Ether	78.125	260.417		ND	Tested
Dichloromethane	31.250	104.167		ND	Tested
Trichloroethene	6.250	20.833		ND	Tested
2,3-Butanedione	31.250	104.167		ND	Tested

Date Tested: 01/14/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000