

System Processing
 Order No.: OFLSYP0406-0013179
 381 West Shellsford Rd
 Tennessee, 37110
 sysproco@gmail.com
 7202967581

Sample: SFLSYP0406-IBEV-0004236
 Unit Weight: 379.0000g , Sample Size for Testing: 2.0000 g
 Batch#: 721678996319
MMTC Information
 Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
 Ingestible, Beverage



Results

| | |
|--|---------------------------------|
| 144 mg/unit D9-THC | 4.87 mg/unit CBD |
| 4.87 mg/unit Total CBD | 144 mg/unit Total THC |
| 149 mg/unit Total Cannabinoids | 0% Total Terpenes |

Tests Summary

| | | |
|-------------------------------------|---------------------------------------|----------------------------------|
| Cannabinoids Tested | Moisture Not Tested | Microbials Pass |
| Water Activity Not Tested | Foreign Matter Pass | Homogeneity Not Tested |
| Terpenes Tested | Contaminant Load Not Tested | Residual Solvents Pass |
| Mycotoxins Not Tested | Heavy Metals Pass | Pesticides Pass |
| Kratom Not Tested | Label Claim Not Tested | |

Dominant Terpenes

No terpenes detected

K'hari Leno
 Sr. Lab Supervisor



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

System Processing
Order No.: OFLSYP0406-0013179
381 West Shellsford Rd
Tennessee, 37110
sysproco@gmail.com
7202967581

Sample: SFLSYP0406-IBEV-0004236
Unit Weight: 379.0000g , Sample Size for Testing: 2.0000 g
Batch#: 721678996319
MMTC Information
Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
Ingestible, Beverage



Cannabinoids

Tested

Sample Prep

Tech: 3358, 4509
SOP: SOP 801
Batch Number: WCNDFL-FL0407-0006183
Batch Date: 04/07/2026 19:13

Sample Analysis

Date/Time: 04/08/2026 13:15
Tech: 4509
SOP: SOP 801
Instrument: HPLC - 3012
Final Weight: 5.291 g
Dilution Factor for Sample: 30

| Analyte | LOD (mg/g) | LOQ (mg/g) | % | mg/g | mg/unit |
|--------------------|------------|------------|----------------|---------------|-------------|
| CBDV | 0.00006 | 0.00283 | ND | ND | ND |
| CBDa | 0.00043 | 0.00283 | ND | ND | ND |
| CBGa | 0.00021 | 0.00283 | ND | ND | ND |
| CBG | 0.00046 | 0.00283 | ND | ND | ND |
| CBD | 0.00079 | 0.00283 | 0.00130 | 0.0130 | 4.87 |
| THCV | 0.00018 | 0.00283 | ND | ND | ND |
| THCVa | 0.00015 | 0.00283 | ND | ND | ND |
| CBN | 0.00008 | 0.00283 | ND | ND | ND |
| D9-THC | 0.00041 | 0.00283 | 0.0379 | 0.379 | 144 |
| D8-THC | 0.00048 | 0.00283 | ND | ND | ND |
| CBC | 0.00031 | 0.00283 | ND | ND | ND |
| THCa | 0.00047 | 0.00283 | ND | ND | ND |
| CBCa | 0.00078 | 0.00283 | ND | ND | ND |
| Total CBD | | | 0.00130 | 0.0130 | 4.87 |
| Total THC | | | 0.0379 | 0.379 | 144 |
| Total Cannabinoids | | | 0.0392 | 0.392 | 149 |



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

System Processing
Order No.: OFLSYP0406-0013179
381 West Shellsford Rd
Tennessee, 37110
sysproco@gmail.com
7202967581

Sample: SFLSYP0406-IBEV-0004236
Unit Weight: 379.0000g , Sample Size for Testing: 2.0000 g
Batch#: 721678996319
MTC Information
Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
Ingestible, Beverage



Microbials

Sample Prep

Tech: 4302, 4516

SOP: SOP 406-FL

Batch Number: WTYMFL-FL0407-0003502

Batch Date: 04/07/2026 09:25

Sample Analysis

Date/Time: 04/08/2026 14:49

Tech: 4509, 4518

SOP: SOP 406-FL

Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835

Final Weight: 2.012 g

Dilution Factor for Sample: 1

Pass

| Analyte | Limit (CFU/g) | Result | Status |
|-----------------------|---------------|---------|--------|
| Yeast & Mold | 100,000 | ND | Passed |
| Salmonella | 1 | Absence | Passed |
| Aspergillus Flavus | 1 | Absence | Passed |
| Aspergillus Fumigatus | 1 | Absence | Passed |
| Aspergillus Niger | 1 | Absence | Passed |
| Aspergillus Terreus | 1 | Absence | Passed |
| STEC E. Coli | 1 | Absence | Passed |



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

System Processing
Order No.: OFLSYP0406-0013179
381 West Shellsford Rd
Tennessee, 37110
sysproco@gmail.com
7202967581

Sample: SFLSYP0406-IBEV-0004236
Unit Weight: 379.0000g , Sample Size for Testing: 2.0000 g
Batch#: 721678996319
MMTC Information
Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
Ingestible, Beverage



Foreign Matter Sample Prep/Analysis

Tech: 4302
SOP: SOP 409-FL
Batch Date: 04/06/2026 14:58

Pass

Analyte

Result

FM

Absent



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

System Processing
 Order No.: OFLSYP0406-0013179
 381 West Shellsford Rd
 Tennessee, 37110
 sysproco@gmail.com
 7202967581

Sample: SFLSYP0406-IBEV-0004236
 Unit Weight: 379.0000g , Sample Size for Testing: 2.0000 g
 Batch#: 721678996319
MTC Information
 Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
 Ingestible, Beverage



Terpenes

Sample Prep

Tech: 3358, 4509
SOP: SOP 419-FL
Batch Number: WLTRFL-FL0407-0005658
Batch Date: 04/07/2026 19:16

Sample Analysis

Date/Time: 04/09/2026 10:55
Tech: 4509
SOP: SOP 419-FL
Instrument: GC-FID - 3010
Final Weight: 0.474 g
Dilution Factor for Sample: 10

Tested

| Analyte | LOD (%) | LOQ (%) | % |
|------------------|---------|---------|-------|
| Total Terpenes | | | 0.00 |
| a-Pinene | 0.001 | 0.003 | ND |
| Camphene | 0.001 | 0.003 | ND |
| b-Pinene | 0.001 | 0.003 | ND |
| b-Myrcene | 0.001 | 0.003 | ND |
| a-Phellandrene | 0.001 | 0.003 | ND |
| d-3-Carene | 0.001 | 0.003 | ND |
| a-Terpinene | 0.001 | 0.003 | ND |
| Limonene | 0.001 | 0.003 | < LOQ |
| Eucalyptol | 0.001 | 0.003 | ND |
| g-Terpinene | 0.001 | 0.003 | ND |
| Terpinolene | 0.001 | 0.003 | ND |
| Fenchol | 0.001 | 0.003 | ND |
| Sabinene Hydrate | 0.001 | 0.003 | ND |
| Linalool | 0.001 | 0.003 | ND |
| Fenchone | 0.001 | 0.003 | ND |
| Isopulegol | 0.001 | 0.003 | ND |
| Camphor | 0.001 | 0.003 | ND |
| Isoborneol | 0.001 | 0.003 | ND |
| DL-Menthol | 0.001 | 0.003 | ND |
| Borneol | 0.001 | 0.003 | ND |
| Terpineol | 0.001 | 0.003 | ND |
| Nerol | 0.001 | 0.003 | ND |
| Pulegone | 0.001 | 0.003 | ND |
| Geraniol | 0.001 | 0.003 | ND |
| Geranyl Acetate | 0.001 | 0.003 | ND |
| a-Cedrene | 0.001 | 0.003 | ND |
| b-Caryophyllene | 0.001 | 0.003 | ND |
| a-Humulene | 0.001 | 0.003 | ND |
| Valencene | 0.001 | 0.003 | ND |
| cis-Nerolidol | 0.001 | 0.003 | ND |






Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

System Processing
Order No.: OFLSYP0406-0013179
381 West Shellsford Rd
Tennessee, 37110
sysproco@gmail.com
7202967581

Sample: SFLSYP0406-IBEV-0004236
Unit Weight: 379.0000g , Sample Size for Testing: 2.0000 g
Batch#: 721678996319
MTC Information
Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
Ingestible, Beverage



| Analyte | LOD (%) | LOQ (%) | % |
|---------------------|---------|---------|----|
| trans-Nerolidol | 0.001 | 0.003 | ND |
| Guaiol | 0.001 | 0.003 | ND |
| Caryophyllene Oxide | 0.001 | 0.003 | ND |
| Cedrol | 0.001 | 0.003 | ND |
| a-Bisabolol | 0.001 | 0.003 | ND |
| trans-b-Ocimene | 0.001 | 0.003 | ND |
| cis-b-Ocimene | 0.001 | 0.003 | ND |



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

System Processing
 Order No.: OFLSYP0406-0013179
 381 West Shellsford Rd
 Tennessee, 37110
 sysproco@gmail.com
 7202967581

Sample: SFLSYP0406-IBEV-0004236
 Unit Weight: 379.0000g , Sample Size for Testing: 2.0000 g
 Batch#: 721678996319
MMTC Information
 Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
 Ingestible, Beverage



Residual Solvents

Pass

Sample Prep

Tech: 3358, 4509
SOP: SOP 405-FL
Batch Number: WRSVFL-FL0407-0004358
Batch Date: 04/07/2026 19:34

Sample Analysis

Date/Time: 04/08/2026 11:36
Tech: 4509
SOP: SOP 405-FL
Instrument: GCMS-HS - 3015
Final Weight: 0.101 g
Dilution Factor for Sample: 1

| Analyte | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|--------------------|-----------|-----------|-------------|------------|--------|
| 1,2-Dichloroethane | 0.7 | 1.0 | 2.0 | ND | Passed |
| Acetone | 2.0 | 20.0 | 750.0 | ND | Passed |
| Acetonitrile | 2.0 | 20.0 | 60.0 | ND | Passed |
| Benzene | 0.2 | 0.4 | 1.0 | ND | Passed |
| Butane | 10.0 | 20.0 | 5,000.0 | ND | Passed |
| Chloroform | 0.2 | 0.4 | 2.0 | ND | Passed |
| Ethanol | 20.0 | 40.0 | 5,000.0 | 300 | Passed |
| Ethyl Acetate | 2.0 | 20.0 | 400.0 | ND | Passed |
| Ethyl Ether | 20.0 | 40.0 | 500.0 | ND | Passed |
| Ethylene Oxide | 0.7 | 2.0 | 5.0 | ND | Passed |
| Heptane | 20.0 | 40.0 | 5,000.0 | ND | Passed |
| Hexanes | 4.0 | 8.0 | 250.0 | ND | Passed |
| Isopropyl Alcohol | 20.0 | 40.0 | 500.0 | ND | Passed |
| Methanol | 20.0 | 40.0 | 250.0 | ND | Passed |
| Methylene Chloride | 20.0 | 40.0 | 125.0 | ND | Passed |
| Pentanes | 6.7 | 13.3 | 750.0 | ND | Passed |
| Propane | 2.0 | 20.0 | 5,000.0 | ND | Passed |
| Toluene | 2.0 | 20.0 | 150.0 | ND | Passed |
| Trichloroethylene | 1.0 | 2.0 | 25.0 | ND | Passed |
| Total Xylenes | 5.0 | 10.0 | 150.0 | ND | Passed |
| 1,1-Dichloroethene | 0.7 | 2.0 | 8.0 | ND | Passed |




K'hari Leno
 Sr. Lab Supervisor



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

System Processing
Order No.: OFLSYP0406-0013179
381 West Shellsford Rd
Tennessee, 37110
sysproco@gmail.com
7202967581

Sample: SFLSYP0406-IBEV-0004236
Unit Weight: 379.0000g , Sample Size for Testing: 2.0000 g
Batch#: 721678996319
MMTC Information
Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
Ingestible, Beverage



Heavy Metals

Pass

Sample Prep

Tech: 4513
SOP: SOP 428-FL
Batch Number: WMTLFL-FL0407-0004501
Batch Date: 04/07/2026 13:54

Sample Analysis

Date/Time: 04/08/2026 12:12
Tech: 4513
SOP: SOP 428-FL
Instrument: ICP-MS - 2837
Final Weight: 0.242 g
Dilution Factor for Sample: 50

| Analyte | LOD (ppb) | LOQ (ppb) | Limit (ppb) | ppb | Status |
|---------|-----------|-----------|-------------|-------|--------|
| Arsenic | 20.100 | 100.000 | 1,500.000 | ND | Passed |
| Cadmium | 20.100 | 100.000 | 500.000 | ND | Passed |
| Mercury | 20.100 | 100.000 | 3,000.000 | ND | Passed |
| Lead | 20.100 | 250.000 | 500.000 | < LOQ | Passed |



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

System Processing
 Order No.: OFLSYP0406-0013179
 381 West Shellsford Rd
 Tennessee, 37110
 sysproco@gmail.com
 7202967581

Sample: SFLSYP0406-IBEV-0004236
 Unit Weight: 379.0000g, Sample Size for Testing: 2.0000 g
 Batch#: 721678996319
MMTC Information
 Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
 Ingestible, Beverage



Pass

Pesticides


Sample Prep

Tech: 3358
SOP: SOP 424-FL
Batch Number: WPTGFL-FL0407-0003112
Batch Date: 04/07/2026 19:14

Sample Analysis

Date/Time: 04/08/2026 11:34
Tech: 4509
SOP: SOP 424-FL
Instrument: GC-MS/MS - 3005 / LC-MS/MS - 2894
Final Weight: 0.633 g
Dilution Factor for Sample: 2.5 (LCMS), 10 (GCMS)

| Analyte | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|---------------------|-----------|-----------|-------------|-----|--------|
| Abamectin | 0.008 | 0.021 | 0.300 | ND | Passed |
| Acephate | 0.009 | 0.024 | 3.000 | ND | Passed |
| Acequinocyl | 0.009 | 0.024 | 2.000 | ND | Passed |
| Acetamiprid | 0.002 | 0.009 | 3.000 | ND | Passed |
| Aldicarb | 0.005 | 0.019 | 0.100 | ND | Passed |
| Azoxystrobin | 0.002 | 0.009 | 3.000 | ND | Passed |
| Bifenazate | 0.002 | 0.009 | 3.000 | ND | Passed |
| Bifenthrin | 0.002 | 0.024 | 0.500 | ND | Passed |
| Boscalid | 0.009 | 0.047 | 3.000 | ND | Passed |
| Carbaryl | 0.005 | 0.009 | 0.500 | ND | Passed |
| Carbofuran | 0.002 | 0.009 | 0.100 | ND | Passed |
| Chlorantraniliprole | 0.002 | 0.009 | 3.000 | ND | Passed |
| Chlorpyrifos | 0.009 | 0.024 | 0.100 | ND | Passed |
| Clofentezine | 0.009 | 0.024 | 0.500 | ND | Passed |
| Coumaphos | 0.010 | 0.050 | 0.100 | ND | Passed |
| Cyfluthrin | 0.010 | 0.100 | 1.000 | ND | Passed |
| Cypermethrin | 0.010 | 0.100 | 1.000 | ND | Passed |
| Daminozide | 0.009 | 0.024 | 0.100 | ND | Passed |
| Diazinon | 0.002 | 0.009 | 0.200 | ND | Passed |
| Dichlorvos | 0.009 | 0.024 | 0.100 | ND | Passed |
| Dimethoate | 0.002 | 0.009 | 0.100 | ND | Passed |
| Dimethomorph | 0.003 | 0.010 | 3.000 | ND | Passed |
| Ethoprophos | 0.002 | 0.009 | 0.100 | ND | Passed |
| Etofenprox | 0.002 | 0.009 | 0.100 | ND | Passed |
| Etoxazole | 0.002 | 0.009 | 1.500 | ND | Passed |
| Fenhexamid | 0.009 | 0.047 | 3.000 | ND | Passed |
| Fenoxycarb | 0.002 | 0.009 | 0.100 | ND | Passed |
| Fenpyroximate | 0.005 | 0.019 | 2.000 | ND | Passed |
| Fipronil | 0.002 | 0.009 | 0.100 | ND | Passed |
| Flonicamid | 0.005 | 0.019 | 2.000 | ND | Passed |
| Fludioxonil | 0.005 | 0.009 | 3.000 | ND | Passed |

K'hari Leno
 Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.



Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
kharil@actlab.com

System Processing
Order No.: OFLSYP0406-0013179
381 West Shellsford Rd
Tennessee, 37110
sysproco@gmail.com
7202967581

Sample: SFLSYP0406-IBEV-0004236
Unit Weight: 379.0000g , Sample Size for Testing: 2.0000 g
Batch#: 721678996319
MMTC Information
Cultivation Facility: , Processing Facility:

Uncle Skunk- Cola
Ingestible, Beverage



| Analyte | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|-------------------------|-----------|-----------|-------------|-----|--------|
| Hexythiazox | 0.005 | 0.019 | 2.000 | ND | Passed |
| Imazalil | 0.009 | 0.024 | 0.100 | ND | Passed |
| Imidacloprid | 0.024 | 0.118 | 3.000 | ND | Passed |
| Kresoxim Methyl | 0.005 | 0.009 | 1.000 | ND | Passed |
| Malathion | 0.019 | 0.047 | 2.000 | ND | Passed |
| Mevinphos | 0.009 | 0.021 | 0.100 | ND | Passed |
| Metalaxyl | 0.002 | 0.009 | 3.000 | ND | Passed |
| Methiocarb | 0.002 | 0.009 | 0.100 | ND | Passed |
| Methomyl | 0.002 | 0.009 | 0.100 | ND | Passed |
| Myclobutanil | 0.005 | 0.024 | 3.000 | ND | Passed |
| Naled | 0.019 | 0.024 | 0.500 | ND | Passed |
| Oxamyl | 0.002 | 0.009 | 0.500 | ND | Passed |
| Paclobutrazol | 0.002 | 0.009 | 0.100 | ND | Passed |
| Permethrin | 0.009 | 0.024 | 1.000 | ND | Passed |
| Phosmet | 0.005 | 0.024 | 0.200 | ND | Passed |
| Piperonyl Butoxide | 0.002 | 0.009 | 3.000 | ND | Passed |
| Prallethrin | 0.009 | 0.024 | 0.400 | ND | Passed |
| Propiconazole | 0.009 | 0.024 | 1.000 | ND | Passed |
| Propoxur | 0.002 | 0.009 | 0.100 | ND | Passed |
| Pyrethrins | 0.031 | 0.063 | 1.000 | ND | Passed |
| Pyridaben | 0.002 | 0.009 | 3.000 | ND | Passed |
| Spinetoram | 0.007 | 0.017 | 3.000 | ND | Passed |
| Spinosyn AD | 0.009 | 0.040 | 3.000 | ND | Passed |
| Spiromesifen | 0.002 | 0.009 | 3.000 | ND | Passed |
| Spirotetramat | 0.005 | 0.024 | 3.000 | ND | Passed |
| Spiroxamine | 0.002 | 0.009 | 0.100 | ND | Passed |
| Tebuconazole | 0.009 | 0.024 | 1.000 | ND | Passed |
| Thiacloprid | 0.002 | 0.009 | 0.100 | ND | Passed |
| Thiamethoxam | 0.002 | 0.009 | 1.000 | ND | Passed |
| Trifloxystrobin | 0.002 | 0.009 | 3.000 | ND | Passed |
| Captan | 0.010 | 0.100 | 3.000 | ND | Passed |
| Methyl Parathion | 0.010 | 0.020 | 0.100 | ND | Passed |
| Chlordane | 0.010 | 0.020 | 0.100 | ND | Passed |
| Chlorfenapyr | 0.010 | 0.020 | 0.100 | ND | Passed |
| Chlormequat Chloride | 0.002 | 0.009 | 3.000 | ND | Passed |
| Pentachloronitrobenzene | 0.010 | 0.050 | 0.200 | ND | Passed |



K'hari Leno
Sr. Lab Supervisor

◆ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.