



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert#

Delta 9 THC 1G Gummies

Sample ID: 2507NBL0349.0994	Received: 07/18/2025	Client
Matrix: Ingestible	Completed: 07/24/2025	TexaKana Organics
Type: Soft Chew	Expires: 07/24/2026	Lic. # 104
Sample Size:	External Lot ID:	6340 N Eldridge Pkwy Suite N115 Houston, TX 77041
Date Collected:	Batch#: 100325-4567	(713) 482-1924 rado@texasgreencraft.com



Test	Date Tested	Result
Cannabinoids	07/18/2025	Complete
Residual Solvents	07/24/2025	Complete
Microbials	07/24/2025	Complete
Mycotoxins	07/24/2025	Complete
Pesticides	07/24/2025	Complete
Heavy Metals	07/24/2025	Complete
Foreign Matter	07/24/2025	Not Detected

Cannabinoids Complete

111.963 mg/unit	0.3010%	4.575 mg/unit	119.365 mg/unit
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	1.8599	2.790	ND	ND	ND
9R-HHC	1.8599	2.790	ND	ND	ND
(6aR,9S)-d10-THC	1.8599	2.790	ND	ND	ND
9S-HHC	1.8599	2.790	ND	ND	ND
CBC	1.8599	2.790	ND	ND	ND
CBCa	1.8599	2.790	ND	ND	ND
CBD	1.8599	2.790	4.575	0.12300	0.012
CBDa	1.8599	2.790	ND	ND	ND
CBDV	1.8599	2.790	ND	ND	ND
CBDVa	1.8599	2.790	ND	ND	ND
CBG	1.8599	2.790	ND	ND	ND
CBGa	1.8599	2.790	ND	ND	ND
CBN	1.8599	2.790	ND	ND	ND
CBNa	1.8599	2.790	ND	ND	ND
Δ8-THC	1.8599	2.790	2.827	0.07600	0.008
Δ9-THC	1.8599	2.790	111.963	3.01000	0.301
THCa	1.8599	2.790	ND	ND	ND
THCp	1.8599	2.790	ND	ND	ND
THCV	1.8599	2.790	ND	ND	ND
THCVa	1.8599	2.790	ND	ND	ND
Total THC			111.963	3.01000	0.301
Total CBD			4.575	0.12300	0.012
Total			119.365	3.20900	0.321

Date Tested: 07/18/2025
Unit Mass: 37.197 g
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.
Amended COA released to reflect name and batch code additions 030426 AB



Ashley Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert#

QA Testing

2 of 4

Delta 9 THC 1G Gummies

Sample ID: 2507NBL0349.0994

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 07/18/2025

Completed: 07/24/2025

Expires: 07/24/2026

External Lot ID:

Batch#: 100325-4567

Client

TexaKana Organics

Lic. # 104

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 482-1924 rado@texasgreencraft.com

Pesticides

Complete

Analyte	LOQ	LOD	Limit	Result	Status	Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.103	0.030		ND	Tested	Fludioxonil	0.099	0.030		ND	Tested
Acephate	0.099	0.030		ND	Tested	Hexythiazox	0.099	0.030		ND	Tested
Acequinocyl	0.099	0.030		ND	Tested	Imazalil	0.099	0.030		ND	Tested
Acetamiprid	0.099	0.030		ND	Tested	Imidacloprid	0.099	0.030		ND	Tested
Aldicarb	0.099	0.030		ND	Tested	Kresoxim Methyl	0.099	0.030		ND	Tested
Azoxystrobin	0.099	0.030		ND	Tested	Malathion	0.099	0.030		ND	Tested
Bifenazate	0.099	0.030		ND	Tested	Metalaxyl	0.099	0.030		ND	Tested
Bifenthrin	0.099	0.030		ND	Tested	Methiocarb	0.099	0.030		ND	Tested
Boscalid	0.099	0.030		ND	Tested	Methomyl	0.099	0.030		ND	Tested
Captan	0.690	0.207		ND	Tested	Mevinphos	0.099	0.030		ND	Tested
Carbaryl	0.099	0.030		ND	Tested	Myclobutanil	0.099	0.030		ND	Tested
Carbofuran	0.099	0.030		ND	Tested	Naled	0.247	0.075		ND	Tested
Chlorantraniliprole	0.099	0.030		ND	Tested	Oxamyl	0.099	0.030		ND	Tested
Chlorfenapyr	0.079	0.030		ND	Tested	Paclobutrazol	0.099	0.030		ND	Tested
Chlormequat	0.099	0.030		ND	Tested	Methyl Parathion	0.079	0.030		ND	Tested
Chlorpyrifos	0.099	0.030		ND	Tested	Pentachloronitrobenzene	0.079	0.030		ND	Tested
Clofentezine	0.099	0.030		ND	Tested	Permethrins	0.099	0.030		ND	Tested
Coumaphos	0.099	0.030		ND	Tested	Phosmet	0.099	0.030		ND	Tested
Cyfluthrin	0.493	0.148		ND	Tested	Piperonyl Butoxide	0.099	0.030		ND	Tested
Cypermethrin	0.493	0.148		ND	Tested	Prallethrin	0.099	0.030		ND	Tested
Daminozide	0.986	0.296		ND	Tested	Propiconazole	0.099	0.030		ND	Tested
Diazinon	0.099	0.030		ND	Tested	Propoxur	0.099	0.030		ND	Tested
Dichlorvos	0.049	0.016		ND	Tested	Pyrethrins	0.493	0.148		ND	Tested
Dimethoate	0.099	0.030		ND	Tested	Pyridaben	0.099	0.030		ND	Tested
Dimethomorph	0.095	0.030		ND	Tested	Spinetoram	0.099	0.030		ND	Tested
Ethoprophos	0.099	0.030		ND	Tested	Spinosad	0.101	0.030		ND	Tested
Etofenprox	0.099	0.030		ND	Tested	Spiromesifen	0.099	0.030		ND	Tested
Etiozazole	0.099	0.030		ND	Tested	Spirotetramat	0.099	0.030		ND	Tested
Fenhexamid	0.099	0.030		ND	Tested	Spiroxamine	0.099	0.030		ND	Tested
Fenoxycarb	0.099	0.030		ND	Tested	Tebuconazole	0.099	0.030		ND	Tested
Fenpyroximate	0.099	0.030		ND	Tested	Thiacloprid	0.099	0.030		ND	Tested
Fipronil	0.099	0.030		ND	Tested	Thiamethoxam	0.099	0.030		ND	Tested
Flonicamid	0.099	0.030		ND	Tested	Trifloxystrobin	0.099	0.030		ND	Tested

Date Tested: 07/24/2025

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert#

QA Testing

3 of 4

Delta 9 THC 1G Gummies

Sample ID: 2507NBL0349.0994

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 07/18/2025

Completed: 07/24/2025

Expires: 07/24/2026

External Lot ID:

Batch#: 100325-4567

Client

TexaKana Organics

Lic. # 104

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 482-1924 rado@texasgreencraft.com

Microbials

Complete

Analyte	LOD	Result	Status
	CFU/g		
Salmonella	31.730	ND	Tested
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	29.780	ND	Tested

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Tested
Enterobacteriaceae (BTGN)	10	ND	Tested
Coliforms	10	ND	Tested
Yeast & Mold	10	ND	Tested

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 07/24/2025

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
B1	2	5		ND	Tested
B2	2	5		ND	Tested
G1	2	5		ND	Tested
G2	2	5		ND	Tested
Total Aflatoxins	2	5		ND	Tested
Ochratoxin A	6	20		ND	Tested

Date Tested: 07/24/2025

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020.

Heavy Metals

Complete

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.046	0.093		ND	Tested
Cadmium	0.046	0.093		ND	Tested
Lead	0.046	0.093		ND	Tested
Mercury	0.046	0.093		ND	Tested
Palladium	0.046	0.232		ND	Tested
Selenium	0.046	0.093		ND	Tested

Date Tested: 07/24/2025

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
<http://newbloomlabs.com>
ISO/IEC 17025:2017 Testing Laboratory Cert#

QA Testing

4 of 4

Delta 9 THC 1G Gummies

Sample ID: 2507NBL0349.0994

Matrix: Ingestible

Type: Soft Chew

Sample Size:

Date Collected:

Received: 07/18/2025

Completed: 07/24/2025

Expires: 07/24/2026

External Lot ID:

Batch#: 100325-4567

Client

TexaKana Organics

Lic. # 104

6340 N Eldridge Pkwy Suite N115 Houston, TX 77041

(713) 482-1924 rado@texasgreencraft.com

Residual Solvents

Complete

Analyte	LOD PPM	LOQ PPM	Limit PPM	Result PPM	Status
Acetone	78.125	260.417		ND	Tested
Benzene	0.313	1.042		ND	Tested
n-Butane	71.875	239.583		ND	Tested
Isobutane	71.875	239.583		ND	Tested
Ethanol	78.125	260.417		<LOQ	Tested
Ethyl Acetate	78.125	260.417		ND	Tested
Heptane	78.125	260.417		ND	Tested
n-Hexane	1.563	5.208		ND	Tested
2,2-Dimethylbutane	1.563	5.208		ND	Tested
3-Methylpentane	1.563	5.208		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	3.125	10.417		ND	Tested
Methanol	31.250	104.167		ND	Tested
Isopentane	71.875	239.583		ND	Tested
n-Pentane	31.250	104.167		ND	Tested
Neopentane	71.875	239.583		ND	Tested
2-Propanol	78.125	260.417		ND	Tested
Propane	312.500	1041.667		ND	Tested
Toluene	0.156	0.521		ND	Tested
Ethylbenzene	0.156	0.521		ND	Tested
m/p-Xylene	0.156	0.521		ND	Tested
o-Xylene	0.156	0.521		ND	Tested

Date Tested: 07/24/2025

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020.



Ashley N Phillips

Ashley Phillips
Laboratory Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000