



**Customer:** The Hemp Collect  
2014 SE 9th Ave  
Portland Oregon 97214  
United States of America (USA)

**Product identity:** Live D9 Caramel, Daytrip, Naturally Derived, 50mg

**Material:** Cannabinoid Edible

**Laboratory ID:** 26-001677-0002

**Evidence of Cooling:** No

**Temp:** 18.2 °C

**Lot #:** 5006SH\_013026

**Serving Size #1:** 18 g



**THE HEMP  
COLLECT**

### Sample Results

Potency		Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>			Batch: 2601096		Analyzed: 02/10/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1			
					Result	Units	LOQ	
CBC	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
CBC-A	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
CBC-Total	< LOQ	%	0.0149		< LOQ	mg/18g	2.68	
CBD <sup>±</sup>	0.00864	%	0.0079		1.55	mg/18g	1.43	
CBD-A <sup>±</sup>	0.0108	%	0.0079		1.94	mg/18g	1.43	
CBD-Total <sup>±</sup>	0.0181	%	0.0149		3.26	mg/18g	2.68	
CBDV	0.0160	%	0.0079		2.88	mg/18g	1.43	
CBDV-A	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
CBDV-Total	0.0160	%	0.0148		2.88	mg/18g	2.66	
CBE	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
CBG	0.0276	%	0.0079		4.96	mg/18g	1.43	
CBG-A	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
CBG-Total	0.0276	%	0.0148		4.97	mg/18g	2.66	
CBL	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
CBL-A	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
CBL-Total	< LOQ	%	0.0149		< LOQ	mg/18g	2.68	
CBN	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
CBT	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
Δ10-THC-9R	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
Δ10-THC-9S	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
Δ10-THC-Total	< LOQ	%	0.0158		< LOQ	mg/18g	2.85	
Δ8-THC <sup>±</sup>	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
Δ8-THCV	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
Δ9-THC <sup>±</sup>	0.214	%	0.0079		38.4	mg/18g	1.43	
Δ9-THC-A <sup>±</sup>	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
Δ9-THC-Total <sup>±</sup>	0.214	%	0.0149		38.5	mg/18g	2.68	
Δ9-THCP	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
Δ9-THCV	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
Δ9-THCV-A	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
Δ9-THCV-Total	< LOQ	%	0.0148		< LOQ	mg/18g	2.66	
exo-THC	< LOQ	%	0.0079		< LOQ	mg/18g	1.43	
<b>Total Cannabinoids</b>	<b>0.277</b>	<b>%</b>			<b>49.9</b>	<b>mg/18g</b>		



**Microbiology**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Salmonella spp. <sup>⊥</sup>	Negative		/25g		2601048	02/11/26 AOAC 2020.02 <sup>b</sup>		
EHEC including STEC <sup>⊥</sup>	Negative		/25g		2601049	02/11/26 AOAC 2020.06 <sup>b</sup>		

**Solvents** Method: Residual Solvents by HS-GC-MS<sup>b</sup> Units µg/g Batch 2601094 Analyze: 02/11/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane <sup>⊥</sup>	< LOQ	380	100	pass		2-Butanol <sup>⊥</sup>	< LOQ	5000	200	pass	
2-Ethoxyethanol <sup>⊥</sup>	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) <sup>⊥</sup>	< LOQ		200		
2-Methylpentane <sup>⊥</sup>	< LOQ		30.0			2-Propanol (IPA) <sup>⊥</sup>	< LOQ	5000	200	pass	
2,2-Dimethylbutane <sup>⊥</sup>	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) <sup>⊥</sup>	< LOQ		200		
2,3-Dimethylbutane <sup>⊥</sup>	< LOQ		30.0			3-Methylpentane <sup>⊥</sup>	< LOQ		30.0		
Acetone <sup>⊥</sup>	< LOQ	5000	200	pass		Acetonitrile <sup>⊥</sup>	< LOQ	410	100	pass	
Benzene <sup>⊥</sup>	< LOQ	2.00	1.00	pass		Butanes (sum) <sup>⊥</sup>	< LOQ	5000	400	pass	
Cyclohexane <sup>⊥</sup>	< LOQ	3880	200	pass		Ethyl acetate <sup>⊥</sup>	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether <sup>⊥</sup>	< LOQ	5000	200	pass	
Ethylene glycol <sup>⊥</sup>	< LOQ	620	200	pass		Ethylene oxide <sup>⊥</sup>	< LOQ	50.0	20.0	pass	
Hexanes (sum) <sup>⊥</sup>	< LOQ	290	150	pass		Isopropyl acetate <sup>⊥</sup>	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) <sup>⊥</sup>	< LOQ	70.0	30.0	pass		m,p-Xylene <sup>⊥</sup>	< LOQ		200		
Methanol <sup>⊥</sup>	< LOQ	3000	200	pass		Methylene chloride <sup>⊥</sup>	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) <sup>⊥</sup>	< LOQ		200			n-Butane <sup>⊥</sup>	< LOQ		200		
n-Heptane <sup>⊥</sup>	< LOQ	5000	200	pass		n-Hexane <sup>⊥</sup>	< LOQ		30.0		
n-Pentane <sup>⊥</sup>	< LOQ		200			o-Xylene <sup>⊥</sup>	< LOQ		200		
Pentanes (sum) <sup>⊥</sup>	< LOQ	5000	600	pass		Propane <sup>⊥</sup>	< LOQ	5000	200	pass	
Tetrahydrofuran <sup>⊥</sup>	< LOQ	720	100	pass		Toluene <sup>⊥</sup>	< LOQ	890	100	pass	
Total Xylenes <sup>⊥</sup>	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

**Pesticides** Method: AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2601204 Analyze: 02/16/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin <sup>⊥</sup>	< LOQ	0.50	0.250	pass		Acephate <sup>⊥</sup>	< LOQ	0.40	0.200	pass	
Acequinocyl <sup>⊥</sup>	< LOQ	2.0	1.00	pass		Acetamiprid <sup>⊥</sup>	< LOQ	0.20	0.100	pass	
Aldicarb <sup>⊥</sup>	< LOQ	0.40	0.200	pass		Azoxystrobin <sup>⊥</sup>	< LOQ	0.20	0.100	pass	
Bifenazate <sup>⊥</sup>	< LOQ	0.20	0.100	pass		Bifenthrin <sup>⊥</sup>	< LOQ	0.20	0.100	pass	
Boscalid <sup>⊥</sup>	< LOQ	0.40	0.200	pass		Carbaryl <sup>⊥</sup>	< LOQ	0.20	0.100	pass	
Carbofuran <sup>⊥</sup>	< LOQ	0.20	0.100	pass		Chlorantraniliprole <sup>⊥</sup>	< LOQ	0.20	0.100	pass	
Chlorfenapyr <sup>⊥</sup>	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl <sup>⊥</sup>	< LOQ	0.20	0.100	pass	
Clofentezine <sup>⊥</sup>	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) <sup>⊥</sup>	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) <sup>⊥</sup>	< LOQ	1.0	0.500	pass		Daminozide <sup>⊥</sup>	< LOQ	1.0	0.500	pass	
Diazinon <sup>⊥</sup>	< LOQ	0.20	0.100	pass		Dichlorvos <sup>⊥</sup>	< LOQ	1.0	0.500	pass	
Dimethoate <sup>⊥</sup>	< LOQ	0.20	0.100	pass		Ethoprophos <sup>⊥</sup>	< LOQ	0.20	0.100	pass	
Etofenprox <sup>⊥</sup>	< LOQ	0.40	0.200	pass		Etoxazole <sup>⊥</sup>	< LOQ	0.20	0.100	pass	
Fenoxycarb <sup>⊥</sup>	< LOQ	0.20	0.100	pass		Fenpyroximate <sup>⊥</sup>	< LOQ	0.40	0.200	pass	
Fipronil <sup>⊥</sup>	< LOQ	0.40	0.200	pass		Flonicamid <sup>⊥</sup>	< LOQ	1.0	0.400	pass	
Fludioxonil <sup>⊥</sup>	< LOQ	0.40	0.200	pass		Hexythiazox <sup>⊥</sup>	< LOQ	1.0	0.400	pass	
Imazalil <sup>⊥</sup>	< LOQ	0.20	0.100	pass		Imidacloprid <sup>⊥</sup>	< LOQ	0.40	0.200	pass	
Kresoxim-methyl <sup>⊥</sup>	< LOQ	0.40	0.200	pass		Malathion <sup>⊥</sup>	< LOQ	0.20	0.100	pass	



Pesticides											
Method: AOAC 2007.01 & EN 15662 (mod)											
Units mg/kg Batch 2601204 Analyze: 02/16/26											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Metalaxyl <sup>±</sup>	< LOQ	0.20	0.100	pass		Methiocarb <sup>±</sup>	< LOQ	0.20	0.100	pass	
Methomyl <sup>±</sup>	< LOQ	0.40	0.200	pass		MGK-264 <sup>±</sup>	< LOQ	0.20	0.100	pass	
Myclobutanil <sup>±</sup>	< LOQ	0.20	0.100	pass		Naled <sup>±</sup>	< LOQ	0.50	0.250	pass	
Oxamyl <sup>±</sup>	< LOQ	1.0	0.500	pass		Paclobutrazole <sup>±</sup>	< LOQ	0.40	0.200	pass	
Parathion-methyl <sup>±</sup>	< LOQ	0.20	0.100	pass		Permethrin <sup>±</sup>	< LOQ	0.20	0.100	pass	
Phosmet <sup>±</sup>	< LOQ	0.20	0.100	pass		Piperonyl butoxide <sup>±</sup>	< LOQ	2.0	1.00	pass	
Prallethrin <sup>±</sup>	< LOQ	0.20	0.100	pass		Propiconazole <sup>±</sup>	< LOQ	0.40	0.200	pass	
Propoxur <sup>±</sup>	< LOQ	0.20	0.100	pass		Pyrethrin I (total) <sup>±</sup>	< LOQ	1.0	0.500	pass	
Pyridaben <sup>±</sup>	< LOQ	0.20	0.100	pass		Spinosad <sup>±</sup>	< LOQ	0.20	0.100	pass	
Spiromesifen <sup>±</sup>	< LOQ	0.20	0.100	pass		Spirotetramat <sup>±</sup>	< LOQ	0.20	0.100	pass	
Spiroxamine <sup>±</sup>	< LOQ	0.40	0.200	pass		Tebuconazole <sup>±</sup>	< LOQ	0.40	0.200	pass	
Thiacloprid <sup>±</sup>	< LOQ	0.20	0.100	pass		Thiamethoxam <sup>±</sup>	< LOQ	0.20	0.100	pass	
Trifloxystrobin <sup>±</sup>	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes		
Arsenic <sup>±</sup>	< LOQ	0.200	mg/kg	0.0191	2601073	02/10/26 AOAC 2013.06 (mod.) <sup>p</sup>	pass			
Cadmium <sup>±</sup>	< LOQ	0.200	mg/kg	0.0191	2601073	02/10/26 AOAC 2013.06 (mod.) <sup>p</sup>	pass			
Lead <sup>±</sup>	< LOQ	0.500	mg/kg	0.0191	2601073	02/10/26 AOAC 2013.06 (mod.) <sup>p</sup>	pass			
Mercury <sup>±</sup>	< LOQ	0.100	mg/kg	0.00957	2601073	02/10/26 AOAC 2013.06 (mod.) <sup>p</sup>	pass			

Mycotoxins										
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes		
Aflatoxin B1 <sup>±</sup>	< LOQ		µg/kg	5.00	2601141	02/13/26 Mycotoxins by AOAC 2007.01				
Aflatoxin B2 <sup>±</sup>	< LOQ		µg/kg	5.00	2601141	02/13/26 Mycotoxins by AOAC 2007.01				
Aflatoxin G1 <sup>±</sup>	< LOQ		µg/kg	5.00	2601141	02/13/26 Mycotoxins by AOAC 2007.01				
Aflatoxin G2 <sup>±</sup>	< LOQ		µg/kg	5.00	2601141	02/13/26 Mycotoxins by AOAC 2007.01				
Ochratoxin A <sup>±</sup>	< LOQ	20.0	µg/kg	5.00	2601141	02/13/26 Mycotoxins by AOAC 2007.01	pass			
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		02/16/26 Mycotoxins by AOAC 2007.01 <sup>p</sup>	pass			



**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

**Threshold Note:** OAR 333-007-0400

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

**Units of Measure**

% wt =  $\mu\text{g/g}$  divided by 10,000

/25g = Per 25g

$\mu\text{g/g}$  = Microgram per gram

$\mu\text{g/kg}$  = Micrograms per kilogram = parts per billion (ppb)

$\text{mg/kg}$  = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

$\text{mg/18g}$  = Milligram per 18g

Approved Signatory

Derrick Tanner  
General Manager





12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 26-001677/D002.R000  
**Report Date:** 02/17/2026  
**ORELAP#:** OR100028  
**Received:** 02/09/26 09:25



**Hemp & Cannabis  
Chain of Custody**

**The-Hemp-  
Collect-1770083080**

<b>Company Details</b> Company: <u>The Hemp Collect</u> Contact: <u>Sierra Solnick</u> Street Address: <u>2014 SE 9th Ave</u> City, State, Zip: <u>Portland, OR 97214</u> Email: <u>sierra@thehempcollect.com</u> Contact Phone: <u>8607520027</u>  <b>Billing Information</b> Billing Email: <u>accounting@thehempcollect.com</u>				<b>Project Details</b> Turnaround Time: <u>5 Business Days   Req. For Micro Testing   Standard</u> Relinquishment   Sampling, Courier & Shipping Options: <u>By Shipping Service (USPS, UPS, Fedex)</u>  <b>Receipt Information</b> Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves			Testing  CH005 - Oregon Package
#	Sample Name	Lot   Additional Sample ID	Material	Amount Provided	Reporting Unit	Specifications	
1	Live D9 Caramel, Anytime, Naturally Derived 42mg	5004SH_013026	Cannabinoid Edible	10 each	mg/g	Please report mg per 18 grams	
2	Live D9 Caramel, Daytrip, Naturally Derived, 50mg	5006SH_013026	Cannabinoid Edible	10 each	mg/g	Please report mg per 18 grams	

**Package Details**

Oregon Package: Aflatoxins+Ochratoxin | OLCC • Cannabis Heavy Metals Profile OR • Micro Profile OR (OLCC Comp) • Pesticides (OR - Cannabis) • Potency Cannabis (Basic+Expanded) • Residual Solvents (Cannabis - Oregon)

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
<i>Sierra Solnick</i>	<i>02/02/2026</i>	<i>17:44</i>	<i>dst</i>	<i>02/09/2026</i>	<i>09:25</i>	<i>18.20</i>	<i>CL-0530</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories  
12423 NE Whitaker Way  
Portland, OR 97230

P: (503) 254-1794  
[info.cf@tentamus.com](mailto:info.cf@tentamus.com)

Page 1 of 1  
[www.columbialaboratories.com](http://www.columbialaboratories.com)



Revision: 2 Document ID: 7087  
Legacy ID: CFL-E33Effective:

**Laboratory Quality Control Results**

Residual Solvents					Batch ID: 2601094					
Method Blank					Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes	
1,1-Dichloroethane	ND	< 1		1.02	1	µg/g	102.0	50-150		
1,1-Dichloroethene	ND	< 1		1.06	1	µg/g	106.0	50-150		
1,2-Dichloroethene, trans-	ND	< 1		1.09	1	µg/g	109.0	50-150		
1,4-Dioxane	ND	< 100		550	504	µg/g	109.1	60-120		
2,2-Dimethylbutane	ND	< 30		158	171	µg/g	92.4	60-120		
2,2-Dimethylpropane	ND	< 200		1120	956	µg/g	117.2	60-120		
2,3-Dimethylbutane	ND	< 30		120	166	µg/g	72.3	60-120		
2-Butanol	ND	< 200		1250	1620	µg/g	77.2	60-120		
2-Ethoxyethanol	ND	< 30		118	165	µg/g	71.5	60-120		
2-Methylbutane	ND	< 200		1340	1610	µg/g	83.2	60-120		
2-Methylpentane	ND	< 30		174	167	µg/g	104.2	60-120		
2-Propanol	ND	< 200		1340	1610	µg/g	83.2	60-120		
3-Methylpentane	ND	< 30		141	163	µg/g	86.5	60-120		
Acetone	ND	< 200		1370	1610	µg/g	85.1	60-120		
Acetonitrile	ND	< 100		404	506	µg/g	79.8	60-120		
Anisole	ND	< 500		1780	1620	µg/g	109.9	50-150		
Benzene	ND	< 1		1.02	1	µg/g	102.0	50-150		
Butane	ND	< 200		806	769	µg/g	104.8	60-120		
Chloroform	ND	< 1		1.06	1	µg/g	106.0	50-150		
Cumene	ND	< 30		180	162	µg/g	111.1	60-120		
Cyclohexane	ND	< 200		1670	1610	µg/g	103.7	60-120		
Dichloromethane	ND	< 1		1.12	1	µg/g	112.0	50-150		
DMSO	ND	< 500		1580	1620	µg/g	97.5	50-150		
Ethanol	ND	< 200		1390	1620	µg/g	85.8	60-120		
Ethyl acetate	ND	< 200		1310	1620	µg/g	80.9	60-120		
Ethyl Ether	ND	< 200		1480	1610	µg/g	91.9	60-120		
Ethylbenzene	ND	< 200		1070	969	µg/g	110.4	60-120		
Ethylene Glycol	ND	< 200		346	503	µg/g	68.8	60-120		
Ethylene Oxide	ND	< 1		0.861	1	µg/g	86.1	50-150		
Heptane	ND	< 200		1330	1610	µg/g	82.6	60-120		
Hexane	ND	< 30		158	166	µg/g	95.2	60-120		
Isobutane	ND	< 200		796	770	µg/g	103.4	60-120		
Isobutyl Acetate	ND	< 500		1580	1640	µg/g	96.3	50-150		
Isopropyl Acetate	ND	< 200		1360	1610	µg/g	84.5	60-120		
m,p-Xylene	ND	< 200		1090	994	µg/g	109.7	60-120		
Methanol	ND	< 200		1090	1620	µg/g	67.3	60-120		
Methylisobutylketone	ND	< 500		1550	1620	µg/g	95.7	50-150		
MTBE	ND	< 500		1800	1610	µg/g	111.8	50-150		
N,N-dimethylacetamide	ND	< 150		469	486	µg/g	96.5	50-150		
o-Xylene	ND	< 200		1100	981	µg/g	112.1	60-120		
Pentane	ND	< 200		1280	1610	µg/g	79.5	60-120		
Propane	ND	< 200		623	585	µg/g	106.5	60-120		
Propyl Acetate	ND	< 500		1590	1610	µg/g	98.8	50-150		
Sulfolane	ND	< 50		158	193	µg/g	81.9	50-150		
Tetrahydrofuran	ND	< 100		474	488	µg/g	97.1	60-120		
Toluene	ND	< 100		548	505	µg/g	108.5	60-120		
Triethylamine	ND	< 500		1590	1610	µg/g	98.8	50-150		



Revision: 2 Document ID: 7087  
Legacy ID: CFL-E33Effective:

**QC - Sample Duplicate**

**Sample ID: 26-001639-0001**

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethene, trans-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
DMSO	533	600	500	µg/g	11.8	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	

**Abbreviations**

ND - None Detected at or above MRL  
RPD - Relative Percent Difference  
LOQ - Limit of Quantitation

**Units of Measure:**

µg/g- Microgram per gram or ppm



Revision: 4 Document ID: 7148  
Legacy ID: Worksheet Validated 04/20/2021

**Laboratory Quality Control Results**

**J AOAC 2015 V98-6** **Batch ID: 2601096**

Laboratory Control Sample										
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes	
CBDVA	2	0.0299	0.0303	%	98.9	80.0	- 120	Acceptable		
CBDV	2	0.0291	0.0293	%	99.1	80.0	- 120	Acceptable		
CBE	2	0.0325	0.0322	%	101	80.0	- 120	Acceptable		
CBDA	1	0.0251	0.0262	%	95.7	90.0	- 110	Acceptable		
CBGA	1	0.0271	0.0272	%	99.7	80.0	- 120	Acceptable		
CBG	1	0.0255	0.0257	%	98.9	80.0	- 120	Acceptable		
CBD	1	0.0246	0.0240	%	102	90.0	- 110	Acceptable		
THCV	2	0.0297	0.0298	%	99.7	80.0	- 120	Acceptable		
d8THCV	2	0.0307	0.0311	%	98.5	80.0	- 120	Acceptable		
THCVA	2	0.0307	0.0309	%	99.3	80.0	- 120	Acceptable		
CBN	1	0.0255	0.0252	%	101	80.0	- 120	Acceptable		
exo-THC	2	0.0277	0.0280	%	98.9	80.0	- 120	Acceptable		
d9THC	1	0.0251	0.0249	%	101	90.0	- 110	Acceptable		
d8THC	1	0.0261	0.0266	%	97.9	90.0	- 110	Acceptable		
9S-d10THC	1	0.0279	0.0279	%	99.8	80.0	- 120	Acceptable		
CBL	2	0.0298	0.0308	%	96.6	80.0	- 120	Acceptable		
9R-d10THC	1	0.0297	0.0300	%	99.3	80.0	- 120	Acceptable		
CBC	2	0.0302	0.0302	%	100	80.0	- 120	Acceptable		
THCA	1	0.0258	0.0262	%	98.2	90.0	- 110	Acceptable		
CBCA	2	0.0306	0.0316	%	96.9	80.0	- 120	Acceptable		
CBLA	2	0.0307	0.0314	%	97.9	80.0	- 120	Acceptable		
d9THCP	2	0.0319	0.0320	%	99.6	80.0	- 120	Acceptable		
CBT	2	0.0276	0.0278	%	99.2	80.0	- 120	Acceptable		

**Method Blank**

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBDV	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBE	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBDA	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBGA	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBG	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBD	<LOQ	0.00749	%	< 0.00749	Acceptable	
THCV	<LOQ	0.00749	%	< 0.00749	Acceptable	
d8THCV	<LOQ	0.00749	%	< 0.00749	Acceptable	
THCVA	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBN	<LOQ	0.00749	%	< 0.00749	Acceptable	
exo-THC	<LOQ	0.00749	%	< 0.00749	Acceptable	
d9THC	<LOQ	0.00749	%	< 0.00749	Acceptable	
d8THC	<LOQ	0.00749	%	< 0.00749	Acceptable	
9S-d10THC	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBL	<LOQ	0.00749	%	< 0.00749	Acceptable	
9R-d10THC	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBC	<LOQ	0.00749	%	< 0.00749	Acceptable	
THCA	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBCA	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBLA	<LOQ	0.00749	%	< 0.00749	Acceptable	
d9THCP	<LOQ	0.00749	%	< 0.00749	Acceptable	
CBT	<LOQ	0.00749	%	< 0.00749	Acceptable	

**Abbreviations**

ND - None Detected at or above MRL  
RPD - Relative Percent Difference  
LOQ - Limit of Quantitation

**Units of Measure:**

% - Percent



Revision: 4 Document ID: 7148  
Legacy ID: Worksheet Validated 04/20/2021

**Laboratory Quality Control Results**

J AOAC 2015 V98-6		Batch ID: 2601096						
Sample Duplicate		Sample ID: 26-001625-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00792	%	NA	< 10	Acceptable	
CBGA	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
CBG	0.0138	0.0141	0.00792	%	2.09	< 20	Acceptable	
CBD	0.505	0.507	0.00792	%	0.235	< 10	Acceptable	
THCV	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
d9THC	0.0204	0.0206	0.00792	%	0.957	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.00792	%	NA	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
CBC	0.0213	0.0213	0.00792	%	0.329	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00792	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00792	%	NA	< 20	Acceptable	

**Abbreviations**

ND - None Detected at or above MRL  
RPD - Relative Percent Difference  
LOQ - Limit of Quantitation

**Units of Measure:**

% - Percent